



Manufactured in the
United Kingdom from recycled plastic



Smart automatic watering systems for the
greenhouse, patio, balcony & allotment

Introduction

AutoPot Watering Systems are suitable for **all growers and all crops**. Whether you're growing in a **greenhouse, on a balcony, patio, or an allotment**, we have an irrigation solution for you.

All our systems operate **power free, with no running water required**. Instead they are gravity fed from a reservoir of any size and **can be left unattended for many weeks**.

In AutoPot Watering Systems water and liquid fertiliser are supplied via pipework from a reservoir to a specially designed tray. Within that tray sits one of our pots for your plant and an **AQUAvalve, our patented water control device**.

The AQUAvalve will allow water to enter into the tray to a depth of 20mm and will not reopen until your plant has consumed all the previously supplied water.




AQUAvalve⁵[™]

Why use our watering systems?

- ☞ **Plants automatically receive water and fertiliser from a reservoir as and when required.**
- ☞ **No more daily watering, AutoPot Watering Systems can be left unattended for weeks.**
- ☞ **No electricity, pumps, timers, computers, or running water are required.**
- ☞ **Grow anywhere... AutoPot Watering Systems are easily connected to a reservoir of any shape or size and are simply gravity fed.**
- ☞ **One of the most water efficient irrigation systems worldwide.**
- ☞ **Environmentally sustainable, no water or fertiliser is ever lost.**
- ☞ **AutoPot can be used to grow any crop variety whether edible or ornamental.**
- ☞ **Join gardeners in over 60 countries around the world and grow your own effortlessly, the AutoPot way.**








The 4Pot System combines **ease of use and minimal labour** with the capacity to grow exquisite, fruitful, and even prize winning plants.

This **fully-automated, power-free, gravity-fed** watering system takes the hassle and strain out of day to day watering, allowing you to try new techniques and hone your horticultural skills.



With **no need for electricity, pumps or timers** you're free from the constraints of a power source. This makes the 4Pot wonderfully **flexible** and gives you the option to **arrange pots virtually at will**.



Above: 4Pot is easily extendable, up to six plants can be irrigated by a 47L reservoir - beyond six plants increase reservoir capacity according to the size of your layout



Above: Use the 1Pot extension kit to expand your 4Pot system.




Above: Optional layouts are possible with fittings included





Trusted by our closest friends, esteemed hobby growers, and national champions alike, the easy2grow kit waters and feeds **power-free** to produce superlative fruit, vegetables and flowers.


Like all AutoPot Watering Systems, easy2grow is **gravity fed** and requires **no electricity** whatsoever. This allows it to be used with ease in the **greenhouse**, in the **garden** and on **patios**, or **balconies**.




Above: easy2grow kit is easily extended, up to six plants can be irrigated by a 47L reservoir - beyond six plants increase reservoir capacity according to the size of your layout



Above: Use the easy2grow extension kit to expand your system.








AQUAbox incorporates the AQUAvalve technology used throughout the AutoPot range and uses it to **automatically water a large growing area** rather than a single plant pot.

Ideal for **raised beds, planters, and allotment plots**, AQUAbox is placed directly in the ground and distributes water to the surrounding soil using strips of capillary matting.


AQUAbox - How It Works



The AQUAbox is connected to your reservoir.
The capillary strips attached to the AQUAbox wick water from the AQUAbox out into the surrounding soil. **Plant roots seek out the water source**, attach to the strips, and proceed to draw water from the AQUAbox as and when they require it. **Liquid feeds can also be introduced via the AQUAbox.**


There are **two products** in the AQUAbox range:
AQUAbox Straight and **AQUAbox Spyder**.

AQUAbox Straight for narrow raised beds, planters, and allotments. Each irrigates a growing area up to 1.2 m in length.



Above: With AQUAbox Straight capillary matting is laid just under the surface in straight lines. Multiple AQUAboxes (Straight or Spyder) can be connected to the same supply.

AQUAbox Spyder for large raised beds and allotment plots. Each Spyder irrigates a growing area of up to 1 m sq.



Above: For AQUAbox Spyder capillary matting is laid just under the surface, fanning out in a full or partial circle - allowing you to water to your space exactly as required.






New
for 2023

Unchecked horticultural adventurism wherever you grow. **Tray2Grow** is the **automated, power-free** watering system that offers **five ways** to **irrigate** and **feed** your plants. **Seed trays, pots, grow bags, micro herbs,** and **planters**, can each be accommodated, making this the **most versatile** automatic watering system in the AutoPot range.

Equipped for every eventuality, Tray2Grow **includes optional capillary spikes** that can be fitted to the inside of the tray. These **pierce the underside of a grow bag**, allowing you to irrigate the substrate within.

With the **spikes removed and capillary matting in place** Tray2Grow can take up to four standard sized seed trays, two micro herb trays, any number of bottom-perforated or bio pots, **or our 107.5 L framed fabric planter**.



Above: Once set up Tray2Grow measures just 11.5 cm long x 41 cm wide, offering you a garden wherever you grow.






Turn **any gardening tray** into an **AutoPot System!** Assembled in minutes and containing all the fittings required to connect to a reservoir, the **easy2GO Kit** will keep your plants **automatically watered and fed whilst you're away on holiday.**



Min. size pots: 8L


Connected to your reservoir and placed onto the tray along with your potted plants, easy2GO **regulates the supply of water and, if desired, plant fertiliser.** Only when the water or nutrient solution in the tray is used up does easy2GO allow a fresh supply to enter, making this an **ideal solution to holiday watering.**



Reservoirs

We offer 30 litre and 47 litre **reservoirs**, ideal options for **Tray2Grow, easy2GO, AQUAbox Spyder or AQUAbox Straight.**

100% U.K. manufactured from recycled plastics, these are ready-drilled for AutoPot fittings.



FAQ's



If no pumps or electricity are required then how is the water and liquid fertiliser supplied from the reservoir to the systems?

In AutoPot Watering Systems the water and/or fertiliser solution is supplied from the reservoir solely by gravity pressure.



How do you create gravity pressure?

Gravity pressure is generally created by raising your reservoir to a height of 6" / 15 cm above the level of your system.

However, if all your plants are no more than 2-3 meters away from the reservoir, then the reservoir can be positioned directly on the floor at the same level as the plants. The fill level of the reservoir relative to the proximity of the system will create enough gravity pressure as long as the reservoir is kept topped up and doesn't drop below a third full.



I already have my plants nicely potted, and a reservoir within easy reach, I just want something to water and feed the plants whilst I'm away, what's my best option?

The easy2GO Kit will work perfectly. You just need a flat-bottomed garden tray with a depth of 30mm or more in which to stand your pots. Position the tray on a hard surface and ensure it is level using a long spirit level. Position your easy2GO Kit anywhere inside the tray and connect it to the pipe supplied with the kit.

Connect the other end of the pipe to a reservoir or water holding container of suitable size. All the fittings required to make such a connection are supplied with the kit.

Place your plant pots inside the garden tray, fill the reservoir with water and (if required) fertiliser. Once set up the easy2GO Kit will automatically allow water to flood the tray to a depth of 20mm. Once the plants have consumed all the water in the tray the easy2GO Kit will automatically open to re-fill the tray. Suitable for pots of 8L capacity or more.



Sometimes in the height of summer the water in my reservoir can get warm, how do I combat this?

If you find that the water temperature in your reservoir is increasing there are several easy ways to keep it in check. Topping the reservoir up more regularly can certainly help, as can a reflective cover to stop direct sunlight hitting the reservoir. If it is inside a greenhouse try moving the reservoir outside where it will generally be cooler. Finally, a frozen bottle of water can be placed inside the reservoir to help reduce the water temperature.



Can I add liquid or water soluble fertiliser to the reservoir so my plants are automatically watered and fed at the same time, and can one liquid fertiliser feed a variety of plants from the same reservoir?

I like to grow a variety of greenhouse crops ... such as tomatoes, chillies and cucumbers.

Most standard composts or soils from your garden centre have around 3-6 weeks of feed/fertiliser blended within the bag. This means that plain water can be supplied to the plants from the reservoir at the beginning.

After 3-6 weeks start adding liquid fertiliser to the reservoir at half strength as directed in the instructions.

As the plants grow and flowers/trusses start to appear you should gradually increase the fertiliser levels over 4-8 weeks until you reach full strength. Generally, most liquid or water soluble fertilisers will adequately provide a balanced diet for most plants edible or ornamental, allowing you to feed them all automatically from the same reservoir. AutoPot Plant Food is an ideal choice. This single part liquid fertiliser has been specifically developed for use with AutoPot. It provides a balanced diet for the plants in all stages of growth.



When should I switch my watering system on?

We don't recommend that you switch your system on immediately. During the setting up process the plants should be watered through thoroughly. Once this is done they should be left to establish before opening the tap on your reservoir, thereby switching the system on. There will be plenty of moisture in the pots, or in the earth, to sustain the plants.

Weather has a strong influence on when you should finally switch on. The establishing period can vary between 7-28 days. Your best guide is to feel the weight of the pots. If heavy leave a little longer, if lightening then switch on.

If in doubt you can turn on for 30 min every 4-5 days and then turn off. Once you are happy the plants are established and starting to grow vigorously the system can be turned on permanently.



How can I extend my existing watering system?

All AutoPot Watering Systems are easily extended by means of our extension kits. All such kits are supplied with pipework and an assortment of fittings for easy connection to an existing watering system.

If you intend to grow 6 plants or more, we recommend that you use a larger reservoir and supply water to the plants via larger gauge pipework. AutoPot supply all required fittings and pipework to facilitate this with ease.




How level do AutoPot Watering Systems need to be?

All AutoPot Watering Systems should be positioned as level as possible. This is especially important when using large trays such as the Tray2Grow. To ensure that trays are level sit them on a firm / hard surface and use a long spirit level across the length and width of the tray. This will provide even distribution of water and fertiliser inside the tray.



autopot_global 

@AutoPotSystems 

autopotuk 

“

AutoPot fits perfectly with my busy life. The clever, power-free design waters and feeds the plants as and when they need it, saving not only valuable time, but also water and fertiliser.

..... ”

**13-time RHS Chelsea
Gold Medal Winner
Medwyn Williams, MBE**


AutoPot Global Ltd
Unit 5, 108 Hawley Lane,
Farnborough, Hampshire
GU14 8JE, UNITED KINGDOM

Tel: +44 (0)1276 534900

Email: mail@autopot.co.uk

Web: www.autopot.co.uk

©AutoPot Global Ltd 2023



Scan me to visit the
AutoPot website